

FILED
SUPREME COURT
STATE OF WASHINGTON
7/10/2019 2:10 PM
BY SUSAN L. CARLSON
CLERK

Supreme Court No. 97408-0

Court of Appeals, Division I, No. 78433-1-I

SUPREME COURT OF THE STATE OF WASHINGTON

POTELCO, INC.,
Plaintiff/Petitioner,

v.

DEPARTMENT OF LABOR AND INDUSTRIES OF THE STATE OF
WASHINGTON,
Defendant/Respondent.

APPELLANT POTELCO, INC.'S PETITION FOR REVIEW

FOX ROTHSCHILD LLP

Skylar A. Sherwood, WSBA #31896
Attorneys for Appellant Potelco, Inc.
1001 4th Avenue, Suite 4500
Seattle, WA 98154-1192
Phone: (206) 624-3600
Facsimile: (206) 389-1708

TABLE OF CONTENTS

I. IDENTITY OF PETITIONER..... 1

II. THE COURT OF APPEALS’ DECISION..... 1

III. ISSUES PRESENTED FOR REVIEW 1

IV. STATEMENT OF THE CASE..... 2

 A. STATEMENT OF FACTS 2

 1. The Equipment..... 2

 2. The Inspection..... 3

 B. PROCEDURAL BACKGROUND..... 6

V. ARGUMENT 7

VI. CONCLUSION..... 8

TABLE OF AUTHORITIES

Page(s)

FEDERAL COURT CASES

Horne Plumbing & Heating Co. v. Occupational Safety and Health Review Comm'n, 528 F.2d 564 (5th Cir. 1976)8

W.G. Yates & Sons Const. Co. Inc. v. Occupational Safety and Health Review Comm'n, 459 F.3d 604, 606 (5th Cir. 2006)7

STATE COURT CASES

Adkins v. Aluminum Co. of Am., 110 Wn.2d 128, 750 P.2d 1257 (1998).....7

Wash. Cedar & Supply Co., Inc. v. Dept. of Labor and Indus., 137 Wn. App. 592, 154 P.3d 287 (2007)7

FEDERAL STATUTORY AUTHORITIES

29 U.S.C. § 651(b).....7

STATE STATUTORY AUTHORITIES

RCW 49.17.0107, 8

WAC 296-155-52900.....5, 6

WAC 296-155-52900(1).....6

WAC 296-155-52900(4)(t)6

WAC 296-155-52901.....5

OTHER AUTHORITIES

RAP 13.4(b)(4)7

I. IDENTITY OF PETITIONER

Petitioner Potelco, Inc. is a Washington corporation that performs utility construction services. Potelco requests that this Court accept review of the Court of Appeals' decision, which affirmed the Board of Industrial Insurance Appeals' ("Board") decision upholding citations issued by the Washington State Department of Labor and Industries ("Department").

II. THE COURT OF APPEALS' DECISION

The Court of Appeals filed an unpublished decision in this matter on June 10, 2019. A copy of the decision is attached hereto as Exhibit A.

III. ISSUES PRESENTED FOR REVIEW

1. Are the certification and load testing requirements of WAC 296-155-52901 inapplicable to a digger derrick being used in high-voltage utility work when the underlying substantive regulation applies only to cranes and digger derricks being used in construction and specifically exempts digger derricks being used in connection with high-voltage utility work?

2. Does an employer exercise reasonable diligence in meeting the standards of the WISHA and, specifically, the certification and load testing requirements for cranes in WAC 296-155-52901, when the employer: (a) reasonably believed it had rented and was using a digger derrick, and (b) was using the equipment as if it was a digger derrick, not a crane?

IV. STATEMENT OF THE CASE

A. STATEMENT OF FACTS

1. **The Equipment**

Potelco, a utility contractor, was performing utility maintenance work on an existing utility line on NE 116th Street in Bellevue on November 6, 2015, as part of an ongoing job for Puget Sound Energy. (Hearing Testimony of Donald Bradley Solheim (“AR Solheim”)¹ at 54:17-19; Hearing Testimony of Dean Davis (“AR Davis”) at 62:18-20, 67:13-16; and Hearing Testimony of Steve Steedly (“AR Steedly”) at 80:10-11). As he was driving into work that morning, Donald Bradley Solheim, supervisor of the Department’s crane safety program, noticed a brand-new looking vehicle with a bright-yellow nylon hoist rope² on NE 116th Street that caught his attention. (AR Solheim at 6:2-10, 19:19 – 21:1). This was being used by a five-person Potelco crew to perform high voltage utility work. (AR Davis at 64:8-65:11).

Specifically, members of the Potelco crew were up in bucket trucks spreading wire, moving wire, and otherwise getting things ready to set electrical poles. (AR Davis at 65:12-20). The crew was using two digger derricks (including the one that caught Solheim’s attention) and two bucket trucks to perform this work. (*Id.* at 65:21-23). Because he

¹ Citations to AR throughout this brief refer to the Appeals Record.

² Mr. Solheim described the hoist rope as “a table or rope that’s on a drum, kind of like a fishing reel. It has a line on it and that line goes up through the boom down to the ground and whatever you’re having to be picking up.” AR Solheim at 21:2-6.

believed that Potelco was doing “highly dangerous work,” Solheim decided to consult with the Department’s high voltage supervisor before opening an inspection with Potelco. (AR Solheim at 21:16 – 22:10). The high voltage supervisor directed Solheim to call Potelco to open the inspection, rather than interrupt the crew while they were performing their work. (*Id.*). Solheim did so, and came to the Potelco crew’s jobsite the following morning to begin his inspection. (*Id.* at 22:21 – 24).

2. The Inspection

As part of his inspection, Solheim took photographs of a piece of equipment that Potelco believed was a digger derrick, but that Solheim believed was a mobile crane. (*See* AR Hearing Exhibits 1-8; *see also* AR Solheim at 24:5-8, 25:20-21, 26:6-12, 36:20-22; AR Davis at 65:21-23, 72:4-16; AR Steedly at 85:18-24, 91:9-12).³ This is the crux of the issue throughout the appeals of this matter.

Solheim also discussed the crew’s work and the equipment being used to perform the work with crew foreman Dean Davis. (AR Solheim at 33:4-12; AR Davis at 67:1-70:4). According to Davis, Solheim may have even referred to the equipment in question as a digger derrick. (AR Davis at 69:3-5). During his inspection, Solheim located and photographed the data

³ Throughout this and its briefing below, Potelco refers to the equipment in question as “equipment,” “vehicle,” or “digger derrick,” which matches the terminology used by Davis and Steedly in their hearing testimony. However, during Solheim’s testimony he referred to the equipment as a “crane,” or a “mobile crane,” and the Department did the same in its briefing below. But both parties, at the hearing and in their briefing, are referring to the same single piece of equipment, even when referring to it by different names.

plate. (See AR Hearing Ex. 3; AR Solheim at 34:1-19). The data plate, which was attached to the base of the boom near the equipment's operator station, indicated that the equipment complied with "ANSI/ASME-B30.5" – national standards applicable to mobile crane construction. (See *id.*; AR Solheim 34:5 – 36:13). This surprised Potelco, because to the best of Potelco's knowledge, the equipment in question was a digger derrick, not a crane. (AR Davis at 72:4-16; AR Steedly at 90:16-91:12). Potelco's belief that the equipment in question was a digger derrick was reasonable because:

- Steve Steedly, Potelco's Fleet Manager, who has over thirty years' experience in the utility trade, including over twenty years with Potelco, and is very familiar with equipment that Potelco regularly uses, such as digger derricks and cranes, rented, and later bought what he believed and was told was a digger derrick. (AR Steedly at 79:25-80:5, 82:1-7, 85:18-89:7);
- The rental contract from Utility One Source, which covered this equipment, listed it as a digger derrick. (AR Hearing Ex. 14);
- Dean Davis, a Potelco foreman with over twenty years' experience in the utility trade, ran the equipment as a digger derrick. (AR Davis at 63:5-7, 76:16-25);
- The equipment's hoist lines were switched to synthetic nylon at Potelco's request, in line with how Potelco planned to and did in fact use the equipment. (AR Davis at 66:6-16; AR Steedly at 92:20-93:6, 126:22-127:8). Nylon lines have *strictly* been used on

digger derricks in the electrical utility industry, as Solheim admitted. (AR Solheim at 55:20-56:1); and

- The equipment had a pole claw attachment and an auger, both of which are typically used with digger derricks. (AR Solheim at 56:6 – 20).

Potelco has both digger derricks and cranes in its fleet, and Steedly and Davis are familiar with both types of equipment. (AR Davis at 66:6-16; AR Steedly at 87:8-89:6). But Potelco has far more digger derricks than cranes, and uses digger derricks more frequently for utility line work, such as the work that was being done at the time of Solheim’s inspection. (AR Davis at 66:6-16; AR Steedly at 87:8-89:6). At the time of Solheim’s inspection, the equipment was the only digger derrick of its kind made by the manufacturer, Elliot, so the label on the equipment’s boom did not raise concern for Steedly, or suggest that the equipment was anything other than a digger derrick – which is exactly what Potelco reasonably believed it had rented, used, and later bought. (AR Steedly at 100:8-101:5, 104:21-25, 127:15-128:9).

As a result of Solheim’s inspection, the Department issued Potelco the Citation for an alleged violation of WAC 296-155-52901, which provides, in relevant part, that “all cranes and derricks covered in WAC 296-155-52900 and not exempt in subsection (3) of that section, must be certified and proof load tested annually by an accredited crane certifier recognized by the department.” However, digger derricks used for high-voltage utility work are specifically and entirely exempted from the testing

and certification requirements of WAC 296-155-52900. WAC 296-155-52900(4)(t); (AR Solheim 56:2-5). Further, WAC 296-155-52900, by its own terms, applies to “power-operated cranes and derricks *used in construction*”. WAC 296-155-52900(1) (emphasis added).

B. PROCEDURAL BACKGROUND

Potelco appealed the Citation because Potelco: (1) was using the equipment to perform high-voltage utility work, not construction work, such that the relevant regulations did not apply, (2) reasonably believed it had rented and was using a digger derrick, and (3) was using the equipment as if it was in fact a digger derrick. A hearing was held in Seattle at the Board of Industrial Insurance Appeals (the “Board”) before Administrative Law Judge Janene Sohng on January 27, 2017. Following the hearing, both Potelco and the Department submitted post-hearing briefs to Judge Sohng, who entered the Proposed Decision and Order (“PD&O”) vacating the citation. Judge Sohng agreed that Potelco could not have known, through the exercise of reasonable diligence, that the equipment was a crane and not a digger derrick. (PD&O at 5-7).

The Department petitioned for review of the PD&O, and the Board reversed the PD&O and issued a Decision & Order (“D&O”) affirming the Department’s Citation. Potelco appealed the Board’s D&O to the King County Superior Court. Following a hearing on April 20, 2018, Judge Karen Donohue affirmed the D&O and awarded statutory attorney’s fees to the Department as the prevailing party. On May 11, 2018, Potelco timely appealed to the Washington State Court of Appeals, Division I,

asking the Court of Appeals to review and vacate the Citation, or in the alternative, reduce the citation to a *de minimis* violation. *Potelco, Inc. v. Dep't of Labor and Indus.*, King County Cause No. 17-2-24419-8 SEA, Notice of Appeal to Washington State Court of Appeals, Division I, Dkt. # 23. The Court of Appeals filed an unpublished decision in this matter on June 10, 2019. *See* Exhibit A.

V. ARGUMENT

Under RAP 13.4(b)(4), a petition for review will be granted if the petition involves an issue of substantial public interest that the Supreme Court should consider. This petition for review involves such issues.

WISHA, an Act created for the “public interest,” strives “to assure, insofar as may reasonably be possible, safe and healthful working conditions for every man and woman working in the State of Washington.” RCW 49.17.010. To interpret WISHA regulations, Washington courts may look to the Occupational Safety and Health Act (OSHA) standards and consistent federal decisions. *Wash. Cedar & Supply Co., Inc. v. Dept. of Labor and Indus.*, 137 Wn. App. 592, 604, 154 P.3d 287 (2007) (citing *Adkins v. Aluminum Co. of Am.*, 110 Wn.2d 128, 147, 750 P.2d 1257 (1998)). Similar to WISHA, OSHA has a stated purpose to assure worker safety “so far as possible.” 29 U.S.C. § 651(b). When Congress drafted OSHA it “quite clearly did not intend to impose strict liability: The duty was to be an achievable one...Congress intended to require the elimination only of preventable hazards.” *W.G. Yates & Sons Const. Co. Inc. v. Occupational Safety and Health Review Comm'n*,

459 F.3d 604, 606 (5th Cir. 2006) (quoting *Horne Plumbing & Heating Co. v. Occupational Safety and Health Review Com'n*, 528 F.2d 564, 568 (5th Cir. 1976)).

This review will provide employers with guidance on when the Department may issue citations related to the testing and certification of power-operated cranes and derricks and the circumstances under which an employer exercises reasonable diligence in meeting the standards under the WISHA. This will impact how employers create work plans and train employees. Because the WISHA standards are specifically designed to promote the “public interest,” clarification on these issues related to WISHA compliance involves issues of substantial public interest that the Supreme Court should determine. RCW 49.17.010.

VI. CONCLUSION

Potelco respectfully requests that the Court accept Potelco’s Petition for Review because it involves matters of substantial public interest.

DATED this 10th day of July, 2019.

FOX ROTHSCHILD LLP

By: 

Skylar A. Sherwood, WSBA #31896
Attorneys for Appellant Potelco, Inc.

CERTIFICATE OF SERVICE

I, Courtney R. Tracy, certify that:

1. I am an employee of Fox Rothschild LLP, attorneys for Appellant in this matter. I am over 18 year of age, not a party hereto, and competent to testify if called upon.
2. On July 10, 2019, I served a true and correct copy of the foregoing document on the following party, attorney for Respondent, via US Mail and addressed as follows:

Robert W. Ferguson
Attorney General
Brennan J. Schreibman
Assistant Attorney General
1116 W. Riverside Ave., Ste. 100
Spokane, WA 99201

I declare under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

SIGNED at Seattle, Washington, this 10th day of July, 2019.


Courtney R. Tracy

EXHIBIT A

IN THE COURT OF APPEALS OF THE STATE OF WASHINGTON

POTELCO INC.,

Appellant,

v.

WASHINGTON STATE,
DEPARTMENT OF LABOR AND
INDUSTRIES,

Respondent.

No. 78433-1-1

DIVISION ONE

UNPUBLISHED OPINION

FILED: June 10, 2019

APPELWICK, C.J. — The Department cited Potelco for failing to ensure that a crane was certified and proof load tested. The Board of Industrial Insurance Appeals and the trial court affirmed the citation. Potelco argues that WAC 296-155-52901 does not apply because it reasonably believed it was operating a digger derrick and not a crane, and it was not performing "construction work" as statutorily defined. It argues alternatively that this court should downgrade the violation from general to de minimis. We affirm.

FACTS

In November 2015, Potelco Inc., a utility contractor, was performing utility maintenance work on an existing utility line on NE 116th Street in Bellevue. On November 6, Ronald Solheim, a crane safety supervisor with the Department of Labor and Industries (Department), drove by the worksite on his way to work. Solheim noticed some peculiarities with the equipment the workers were using.

He notified Potelco that he was going to visit the jobsite for an inspection the following morning.

Solheim went to the site the next day and photographed the equipment¹ Potelco had been using the day before. A company called Elliott Equipment Company manufactured the equipment, and its model number was 30105. The equipment had a nylon hoist line at its base, which Solheim testified was "very unusual on this type of crane."

Potelco line crew foreman Dean Davis was present at the jobsite when Solheim did his inspection. Davis testified that he believed the equipment that Potelco was using was a digger derrick, not a crane.

Of his inspection, Solheim stated,

[W]hat caught my attention was that yellow hoist rope or hoist line. I wanted to see exactly what it was because I'd only heard of one other mobile boom truck in the entire industry that had been approved to use the nylon type line for hoisting and that was manufactured by Grove.

Solheim also photographed the manufacturer's plate, which was attached to the base of the boom near the operator station. This plate identifies the machine's serial number, load charts, manufacture date, whether it has an insulating boom, and the standard under which it was manufactured. Solheim testified that the Elliott 30105 complied with the ANSI/ASME-B30.5 standard.² ASME B-30.5 is a national standard that applies specifically to all mobile cranes.

¹ The Department refers to the equipment as a "crane," while Potelco refers to the same piece of equipment as "equipment," "vehicle" or "digger derrick."

²"ASME" is an acronym for the American Society of Mechanical Engineers. "ANSI" is an acronym for American National Standards Institute.

Solheim testified that all of the digger derricks that he has seen have been manufactured under a different standard. Solheim also testified that the load chart attached to the operation station for the equipment indicated that it met the ASME B30.5 requirements. He stated that if the crane had been manufactured under the digger derrick standard, the load chart "would definitely be different."

Describing how the piece of equipment that he inspected differed from a digger derrick, Solheim stated,

[I]t doesn't have the right number, D115, on the boom or on the load charts. [A digger derrick] has a different size hoist line on the load chart than the one that I inspected. And so the [Load Moment Indicator (LMI)] would be -- information being put out by the LMI would be definitely different and require some modification to the computer, possibly.

The outriggers on a Digger Derrick are allowed to be extended at three different positions which changes the load charts. The one [I inspected] is not allowed to be at three different positions.

Solheim further explained that the different standards under which the two products are manufactured is a "definite indication in determining whether it's a Digger Derrick." Solheim testified that Potelco had both digger derricks and cranes in their fleet.

Based on his investigation, Solheim determined that the Elliott 30105 was a "mobile crane with attachments," and not a digger derrick. Solheim testified that he asked Potelco for documents establishing that the equipment in question was a digger derrick as they claimed, but never received that information. Following Solheim's inspection, the Department cited Potelco for failing to ensure the Elliott 30105 was certified and proof load tested, as required by WAC 296-155-52901.

Potelco appealed the citation. Potelco argued that WAC 296-155-52901 did not apply because (1) it was performing "utility work," and not "construction work," and (2) it reasonably believed it was operating a digger derrick and not a crane. In a proposed decision and order, the Board of Industrial Insurance Appeals (Board) rejected Potelco's argument that it was not engaged in construction work. But, it concluded that Potelco, through exercising reasonable diligence, could not have known that the equipment was a crane subject to WAC 296-155-52901, and vacated the citation.

The Department petitioned for review of the proposed order. The Board found that Potelco's work replacing utility poles was "construction," as statutorily defined. The Board also found the equipment Potelco used was a crane as defined by WAC 296-155-52902. Finally, the Board found that Potelco, through exercising reasonable diligence, could have known that the Elliott 30105 was a crane. The Board affirmed the citation. Potelco appealed the Board's decision and order to the superior court, which also affirmed. Potelco appeals.

DISCUSSION

Potelco makes three arguments. First, it argues that, because it reasonably believed it was operating a digger derrick and not a crane, WAC 296-155-52901 does not apply. Second, it argues that, because Potelco was not performing "construction work" as statutorily defined, this court should vacate the citation. Third, it argues alternatively that this court should downgrade the violation from general to de minimis.

I. Standard of Review

This court reviews a decision by the Board directly, based on the record before the agency. Pilchuck Contractors, Inc. v. Dep't of Labor & Indus., 170 Wn. App. 514, 517, 286 P.3d 383 (2012). We review findings of fact to determine whether they are supported by substantial evidence and, if so, whether the findings support the conclusions of law. Id. Substantial evidence is evidence in sufficient quantum to persuade a fair-minded person of the truth of the declared premise. Id. We review questions of law de novo, including an agency's construction of a regulation, but substantial weight is given to an agency's interpretation of a regulation. Id. Proposed decisions and orders are not the decisions and orders of the Board—they do not become the official Board decision until the Board formally adopts them. Stratton v. Dep't of Labor & Indus., 1 Wn. App. 77, 79, 459 P.2d 651 (1969).

II. Type of Equipment

Potelco asserts first that it reasonably believed it was operating a digger derrick and not a crane, and, therefore, WAC 296-155-52901 does not apply.

All cranes and derricks covered in WAC 296-155-52900 and not exempt in subsection (3) of that section must be certified and proof load tested annually by an accredited crane certifier recognized by the Department. WAC 296-155-52901. The crane statutes and regulations define "crane" as "power-operated equipment used in construction that can hoist, lower, and horizontally move a suspended load." RCW 49.17.400(5); WAC 296-155-52902.

The Board found that the Elliot 30105 was a mobile crane.³ Potelco asserts that the "equipment at issue has all of the characteristics of a digger derrick, and the evidence presented would lead a rational, fair-minded person to find that Potelco reasonably believed it was operating a digger derrick." It claims that it ordered a digger derrick, was told that it had received a digger derrick, and "operated the equipment only as a digger derrick." And, Potelco contends that, other than the data plate, nothing suggested that the equipment was anything other than a digger derrick.

Citing Erection Co., Inc. v. Department of Labor and Industries, 160 Wn. App. 194, 248 P.3d 1085 (2011), Potelco asserts that the Department fails to show how Potelco did not exercise reasonable diligence. In Erection Co., the court stated,

"Reasonable diligence involves several factors, including an employer's obligation to inspect the work area, to anticipate hazards to which employees may be exposed, and to take measures to prevent the occurrence." Constructive knowledge of a violative condition may be demonstrated by the department in a number of ways, including evidence showing that the violative condition was readily observable or in a conspicuous location in the area of the employer's crews.

160 Wn. App. at 206-07 (citations omitted) (quoting Kokosing Constr. Co. v. Occupational Safety & Hazard Review Comm'n, 232 F. App'x 510, 521, 2007 WL 1544150, at *2) (6th Cir. 2007)).

³ Potelco assigns error to the trial court's adoption of the Board's finding that the equipment was a crane, but does not argue this issue in its brief. This court will not consider an assignment of error where there is no argument in the brief to support it. DeHeer v. Seattle Post-Intelligencer, 60 Wn.2d 122, 126, 372 P.2d 193 (1962).

The Board found that Potelco, through exercising reasonable diligence, could have known that the equipment was in fact a crane that was not certified prior to being used in crane operations. The Elliott 30105's load chart stated that the equipment was a crane. The data plate and load chart both showed that the Elliott 30105 complied with the ASME B-30.5 standard, which applies specifically to all mobile cranes, but not digger derricks. Elliott's company website identified the 30105 model as a "boom truck," which is a mobile crane.

Furthermore, when Potelco first received the Elliott 30105, it had a metal wire hoist line. The wire line was then switched to a nylon one at Potelco's request. Both Potelco's fleet manager and foreperson understood that companies use digger derricks to conduct high voltage work because they "generally have nylon ropes for winch lines, whereas cranes have steel winch lines."

Potelco points to its employee's testimony to argue that it reasonably believed that the equipment was a digger derrick. It argues that "the truck had all of the unique characteristics of a digger derrick, such as an auger, the nylon hoist line, and pole claw attachment." But, we do not reweigh the evidence on appeal. Zarala v. Twin City Foods, 185 Wn. App. 838, 867, 343 P.3d 761 (2015). Instead, we view this evidence in the light most favorable to the party that prevailed before the Board—here, the Department. Frank Coluccio Constr. Co. v. Dep't of Labor & Indus., 181 Wn. App. 25, 35, 329 P.3d 91 (2014).

Substantial evidence supports the Board's finding that Potelco, through exercising reasonable diligence, could have known that the equipment was in fact a crane and not a digger derrick.

III. Construction Work

Potelco argues second that, because it was performing utility work and not construction work, WAC 296-155-52901 does not apply.

The Washington Industrial Safety and Health Act of 1973 (WISHA), chapter 49.17 RCW, certification rule applies to “[p]ower-operated cranes and derricks used in construction that can hoist, lower and horizontally move a suspended load.” WAC 296-155-52900(1)(a) (emphasis added). WAC 296-155-52902 defines “construction work” as,

[A]ll or any part of excavation, construction, erection, alteration, repair, demolition, and dismantling of buildings and other structures and all related operations; the excavation, construction, alteration, and repair of sewers, trenches, caissons, conduits, pipelines, roads, and all related operations; the moving of buildings and other structures, and the construction, alteration, repair, or removal of wharfs, docks, bridges, culverts, trestles, piers, abutments, or any other related construction, alteration, repair, or removal work. Construction work does not include the normal day-to-day activities at manufacturing facilities or powerhouses.

Potelco states that on November 6 and 7, 2015, it was replacing existing poles to raise power lines. It argues that this work does not qualify as construction work. And, it asserts that the work it was performing is more similar to the activities covered under WAC 296-155-52900(4)(t), which provides an exemption from the crane certification requirements for “[d]igger derricks when used for activities that are covered under chapter 296-45 WAC,^[4] Safety standards for electrical workers.”

⁴ WAC 296-45 applies to “the operation, maintenance, and construction of electric power generation, control, transformation, transmission, and distribution lines and equipment.” WAC 296-45-015(1).

The Board found that Potelco's work replacing existing utility poles constitutes construction as defined by the WAC. Potelco ultimately argues that it was exempt from the certification and load testing requirements because it "reasonably believed" that it was using a digger derrick for activities covered by WAC 296-45, which applies to safety standards for electrical workers. But, this exception does not apply to cranes: "Cranes other than digger derricks when used for activities that are covered under chapter 296-45 WAC, Safety standards for electrical workers, or chapter 296-32 WAC, Safety standards for telecommunications are NOT exempt." WAC 296-155-52900(4)(t). We found above that substantial evidence supports the Board's finding that the Elliott 30105 was a mobile crane. Thus, we do not reach the issue of whether Potelco was performing construction work, because it would not be exempt from WAC 296-155-52900 regardless.

IV. Violation Classification

Alternatively, Potelco argues that this court should downgrade the violation from general to de minimis.

There are several classifications of WISHA citations: willful, serious, general, and de minimis. See RCW 49.17.180(1)-(3); WAC 296-900-14010. Under RCW 49.17.180(3),

Any employer who has received a citation for a violation . . . where such violation is specifically determined not to be of a serious nature as provided in subsection (6) of this section, may be assessed a civil penalty not to exceed seven thousand dollars for each such violation, unless such violation is determined to be de minimis.

WAC 296-900-14010 provides that a general violation occurs where there are “[c]onditions that could cause injury or illness to an employee but would not result in serious physical harm.” Under RCW 49.17.120(2), the Department may develop procedures under which it will issue “a notice in lieu of a citation with respect to de minimis violations which have no direct or immediate relationship to safety or health.”


Potelco asserts that “there were no injuries, accidents, or incidents involved in this inspection.” But, actual injury is not required for the Department to cite an employer. See, e.g., Mowat Constr. Co. v. Dep’t of Labor & Indus., 148 Wn. App. 920, 931, 201 P.3d 407 (2009) (“Nor is the Department required to wait for someone to go deaf before citing the employer.”).

“The legislature intend[ed] to promote the safe condition and operation of cranes used in construction work by establishing certification requirements for construction cranes and qualifications for construction crane operators.” RCW 49.17.400; LAWS OF 2007, ch. 27, § 1. Potelco’s argument that the crane certification violation has no direct relationship to employee health and safety fails.

We affirm.



WE CONCUR:





FOX ROTHSCHILD LLP

July 10, 2019 - 2:10 PM

Filing Petition for Review

Transmittal Information

Filed with Court: Supreme Court
Appellate Court Case Number: Case Initiation
Appellate Court Case Title: Potelco Inc., Appellant v. Department of Labor & Industries of the State of Washington, Respondent (784331)

The following documents have been uploaded:

- PRV_Petition_for_Review_20190710140947SC924871_3927.pdf
This File Contains:
Petition for Review
The Original File Name was Appellant Potelcos Petition for Review.PDF

A copy of the uploaded files will be sent to:

- Iniseaeservice@atg.wa.gov
- anas@atg.wa.gov
- judyg@atg.wa.gov

Comments:

Sender Name: Rebecca Bennett - Email: rbennett@foxrothschild.com

Filing on Behalf of: Skylar Anne Sherwood - Email: ssherwood@foxrothschild.com (Alternate Email: ctracy@foxrothschild.com)

Address:
1001 Fourth Avenue
Suite 4500
Seattle, WA, 98154
Phone: (206) 624-3600

Note: The Filing Id is 20190710140947SC924871